

APPENDIX IX

EMD Incident Codes

1. Abdominal Pain/Problems
 - 1A1 – Abdominal pain
 - 1C1 – Fainting/near fainting ≥ 50
 - 1C2 – Females fainting/near fainting 12 – 50
 - 1C3 – Males pain above navel ≥ 35
 - 1C4 – Females pain above navel ≥ 45
 - 1D1 – Not alert

2. Allergies(Reactions)/Envenomations (Stings/Bites)
 - 2A1 – No difficulty breathing/swallowing
 - 2A2 – Spider bite
 - 2B1 – Unknown status (3rd party caller)
 - 2C1 – Difficulty breathing or swallowing
 - 2C2 – Special medications or injections used
 - 2D1 – Severe respiratory distress
 - 2D2 – not alert
 - 2D3 – Condition worsening
 - 2D4 – Swarming attack (bee, wasp, hornet)
 - 2D5 – Snakebite
 - 2E1 – Ineffective breathing

3. Animal Bites/Attacks
 - 3A1 – Not dangerous body area
 - 3A2 – Non-recent injuries (≥ 6 hours)
 - 3A3 – Superficial bites
 - 3B1 – Possibly dangerous body area
 - 3B2 – Serous hemorrhage
 - 3B3 – Unknown status (3rd party caller)
 - 3D1 – Unconscious or arrest
 - 3D2 – Not alert
 - 3D3 – Dangerous body area
 - 3D4 – Large animal
 - 3D5 – Exotic animal
 - 3D6 – Attack or multiple animals

4. Assault/Sexual Assault
 - 4A1 – Not dangerous body area
 - 4A2 – Non-recent injuries (≥ 6 hours)
 - 4B1 – Possibly dangerous body area
 - 4B2 – Not alert
 - 4B3 – Unknown status (3rd party caller)
 - 4D1 – Unconscious or arrest
 - 4D2 – Not alert
 - 4D3 – Abnormal breathing
 - 4D4 – Dangerous body area
 - 4D5 – Multiple victims

5. Back Pain (Non-Traumatic or Non-Recent Trauma)
 - 5A1 – Non-traumatic back pain
 - 5A2 – Non-recent traumatic back pain (≥ 6 hours)
 - 5C1 – Fainting or near fainting ≥ 50
 - 5D1 – Not alert

6. Breathing Problems
 - 6C1 – Abnormal breathing
 - 6C2 – Cardiac history
 - 6D1 – Severe respiratory distress
 - 6D2 – Not alert
 - 6D3 – Clammy
 - 6E1 – Ineffective breathing

7. Burns (Scalds)/Explosions
 - 7A1 – Burns $< 18\%$ body area
 - 7A2 – Fire alarm (unknown situation)
 - 7A3 – Sunburn or minor burns (\leq hand size)
 - 7B1 – Unknown status (3rd party caller)
 - 7C1 – Building fire with persons reported inside
 - 7C2 – Difficulty breathing
 - 7C3 – Burns $\geq 18\%$ body area
 - 7D1 – Unconscious or arrest
 - 7D2 – Severe respiratory distress
 - 7D3 – Not alert
 - 7D4 – Explosion
 - 7D5 – Multiple victims

8. Carbon Monoxide/Inhalation/Hazmat
 - 8A1 – CO detector alarm (without priority symptoms)
 - 8B1 – Alert without difficulty breathing
 - 8C1 – Alert with difficulty breathing
 - 8D1 – Unconscious or arrest
 - 8D2 – Severe respiratory distress
 - 8D3 – Hazmat
 - 8D4 – Not alert
 - 8D5 – Multiple victims
 - 8D6 – Unknown status (3rd party caller)

9. Cardiac or Respiratory Arrest/Death
 - 9B1 – Obvious death (unquestionable)
 - 9D1 – Ineffective breathing
 - 9E1 – Suspected workable arrest – not breathing at all
 - 9E2 – Suspected workable arrest – breathing uncertain (agonal)
 - 9E3 – Suspected workable arrest – hanging
 - 9E4 – Suspected workable arrest – strangulation
 - 9E5 – Suspected workable arrest – suffocation
 - 9E6 – Suspected workable arrest – underwater
 - 9E7 – Expected death (EHSF change from EMD 9Ω1)

10. Chest pain
 - 10A1 – Breathing normally <35
 - 10C1 – Abnormal breathing
 - 10C2 – Cardiac history
 - 10C3 – Cocaine
 - 10C4 – Breathing normally ≥35
 - 10D1 – Severe respiratory distress
 - 10D2 – Not alert
 - 10D3 – Clammy

11. Choking
 - 11A1 – Not choking now (can talk or cry, is alert and breathing normally)
 - 11D1 – Not alert
 - 11D2 – Abnormal breathing (partial obstruction)
 - 11E1 – Choking

12. Convulsions/Seizures

12A1 – Not seizing now and breathing regularly (verified)

12B1 – Breathing regularly – not verified <35

12C1 – Pregnancy

12C2 – Diabetic

12C3 – Cardiac history

12D1 – Not breathing

12D2 – Continuous or multiple seizures

12D3 – Irregular breathing

12D4 – Breathing regularly – not verified ≥ 35

13. Diabetic Problems

13A1 – Alert

13C1 – Not alert

13C2 – Abnormal behavior

13C3 – Abnormal breathing

13D1 – Unconscious

14. Drowning (Near)/Diving/Scuba Accident

14A1 – Alert and breathing normally (no injuries and out of water)

14B1 – Alert and breathing normally (injuries or in water)

14B2 – Unknown status (3rd party caller)

14C1 – Alert with abnormal breathing

14D1 – Unconscious

14D2 – Not alert

14D3 – Diving or suspected neck injury

14D4 – Scuba accident

15. Electrocution/Lightning

15C1 – Alert and breathing normally

15D1 – Unconscious

15D2 – Not disconnected from power

15D3 – Power not off or hazard present

15D4 – Long fall (≥ 6 feet)

15D5 – Not alert

15D6 – Abnormal breathing

15D7 – Unknown status (3rd party caller)

15D8 – Not breathing/ineffective breathing

16. Eye Problems/Injuries

- 16A1 – Moderate eye injuries
- 16A2 – Minor eye injuries
- 16A3 – Medical eye problems
- 16B1 – Severe eye injuries
- 16D1 – Not alert

17. Falls

- 17A1 – Not dangerous body area
- 17A2 – Not recent (≥ 6 hours) injuries (without priority medical symptoms)
- 17A3 – Public assist (no injuries and no priority symptoms)
(EHSF change from 17Q1)
- 17B1 – Possibly dangerous body area
- 17B2 – Serious hemorrhage
- 17B3 – Unknown status (3rd party caller)
- 17D1 – Dangerous body area
- 17D2 – Long fall (≥ 6 feet)
- 17D3 – Not alert
- 17D4 – Abnormal breathing

18. Headache

- 18A1 – Breathing normally
- 18B1 – Unknown status
- 18C1 – Not alert
- 18C2 – Abnormal breathing
- 18C3 – Speech problems
- 18C4 – Sudden onset of severe pain (≤ 3 hours)
- 18C5 – Numbness or paralysis
- 18C6 – Change in behavior (≤ 3 hours)

19. Heart Problems/AICD (Automatic Implanted Cardiac Defibrillator)

- 19A1 – Heart rate ≥ 50 bpm and < 130 bpm (without priority symptoms)
- 19A2 – Chest pain < 35 (without priority symptoms)
- 19B1 – Unknown status (3rd party caller)
- 19C1 – Firing of AICD
- 19C2 – Abnormal breathing
- 19C3 – Chest pain ≥ 35
- 19C4 – Cardiac history
- 19C5 – Cocaine
- 19C6 – Heart rate < 50 bpm or ≥ 130 bpm (without priority symptoms)
- 19D1 – Severe respiratory distress
- 19D2 – Not alert
- 19D3 – Clammy

- 20. Heat/Cold Exposure
 - 20A1 – Alert
 - 20B1 – Change in skin color
 - 20B2 – Unknown status (3rd party caller)
 - 20C1 – Cardiac history
 - 20D1 – Not alert

- 21. Hemorrhage/Lacerations
 - 21A1 – Not dangerous hemorrhage
 - 21A2 – Minor hemorrhage
 - 21B1 – Possibly dangerous hemorrhage
 - 21B2 – Serious hemorrhage
 - 21B3 – Bleeding disorder or blood thinners
 - 21C1 – Hemorrhage through tubes
 - 21D1 – Dangerous hemorrhage
 - 21D2 – Not alert
 - 21D3 – Abnormal breathing

- 22. Industrial/Machinery Accidents
 - 22B1 – Unknown situation (not caught in machinery)
 - 22D1 – Life status questionable
 - 22D2 – Caught in machinery (unknown status)
 - 22D3 – Multiple victims

- 23. Overdose/Poisoning (Ingestion)
 - 23A1 – Poisoning (without priority symptoms) (EHSF change from 23Ω1)
 - 23B1 – Overdose (without priority symptoms)
 - 23C1 – Violent (police must rescue)
 - 23C2 – Not alert
 - 23C3 – Abnormal breathing
 - 23C4 – Antidepressants (tricyclic)
 - 23C5 – Cocaine (or derivative)
 - 23C6 – Narcotics (heroin)
 - 23C7 – Acid or alkali (lye)
 - 23C8 – Unknown status (3rd party caller)
 - 23C9 – Poison Control request for response
 - 23D1 – Unconscious
 - 23D2 – Severe respiratory distress

- 24. Pregnancy/Childbirth/Miscarriage
 - 24A1 – 1st trimester hemorrhage or miscarriage
 - 24B1 – Labor (delivery not imminent, ≥ 5 months/20 weeks)
 - 24B2 – Unknown status (3rd party caller)
 - 24C1 – 2nd trimester hemorrhage or miscarriage
 - 24C2 – 1st trimester serious hemorrhage
 - 24D1 – Breech or cord
 - 24D2 – Head visible or out
 - 24D3 – Imminent birth (≥ 5 months/20 weeks)
 - 24D4 – 3rd trimester hemorrhage
 - 24D5 – High-risk complications
 - 24D6 – Baby born

- 25. Psychiatric/Abnormal Behavior/Suicide Attempt
 - 25A1 – Non-violent and non-suicidal (alert)
 - 25B1 – Violent (police must secure)
 - 25B2 – Threatening suicide
 - 25B3 – Near hanging, strangulation or suffocation (alert)
 - 25B4 – Unknown status (3rd party caller)

- 26. Sick Person (Specific Diagnosis)
 - 26A1 – No priority symptoms (complaint conditions 2-28 not identified)
 - 26A2 to 28 – Non-priority complaints
 - 26B1 – Unknown status (3rd party caller)
 - 26B2 – Cardiac history (complaint conditions 2-28 not identified)
(EHSF change from 26C1)
 - 26D1 – Not alert

- 27. Stab/Gunshot/Penetrating Trauma
 - 27A1 – Non-recent (≥ 6 hours) peripheral wounds
 - 27B1 – Non-recent (≥ 6 hours) single central wound
 - 27B2 – Known single peripheral wound
 - 27B3 – Serious hemorrhage
 - 27B4 – Unknown status (3rd party caller)
 - 27D1 – Unconscious or arrest
 - 27D2 – Not alert
 - 27D3 – Central wounds
 - 27D4 – Multiple wounds
 - 27D5 – Multiple victims

- 28. Stroke (CVA)
 - 28A1 – Breathing normally <35
 - 28B1 – Unknown status (3rd party caller)
 - 28C1 – Not alert
 - 28C2 – Abnormal breathing
 - 28C3 – Speech or movement problems
 - 28C4 – Numbness or tingling
 - 28C5 – Stroke history
 - 28C6 – Breathing normally ≥35

- 29. Traffic/Transportation Accidents
 - 29A1 – 1st party caller with injury to not dangerous part of body
 - 29B1 – Injuries
 - 29B2 – Multiple victims (one unit)
 - 29B3 – Multiple victims (additional units)
 - 29B4 – Serious hemorrhage
 - 29B5 – Unknown status (3rd party caller)
 - 29D1 – Major incident (aircraft, bus, subway, train, watercraft)
 - 29D2 – High mechanism (all-terrain, auto-bike/motorcycle, auto-person, ejection, personal watercraft, rollover, vehicle off bridge/height)
 - 29D3 – Hazmat
 - 29D4 – Pinned (trapped) victim
 - 29D5 – Not alert

- 30. Traumatic Injuries (Specific)
 - 30A1 – Not dangerous body area
 - 30A2 – Non-recent injuries (≥6 hours)
 - 30B1 – Possibly dangerous body area
 - 30B2 – Serious hemorrhage
 - 30D1 – Dangerous body area
 - 30D2 – Not alert
 - 30D3 – Breathing abnormal

- 31. Unconscious/Fainting (Near)
 - 31A1 – Single or near fainting episode and alert <35
 - 31C1 – Alert with abnormal breathing
 - 31C2 – Cardiac history
 - 31C3 – Multiple fainting episodes
 - 31C4 – Single or near fainting episode and alert ≥35
 - 31C5 – Females 12-50 with abdominal pains
 - 31D1 – Unconscious (at end of interrogation)
 - 31D2 – Severe respiratory distress
 - 31D3 – Not alert
 - 31E1 – Ineffective breathing

32. Unknown Problem (Man Down)

32B1 – Standing, sitting, moving or talking

32B2 – Medical alert notifications

32B3 – Unknown status (3rd party caller)

32D1 – Life status questionable

33. Transfer/Interfacility/Palliative Care

33A1 – Acuity I (no priority symptoms)

33A2 – Acuity II (no priority symptoms)

33A3 – Acuity III (no priority symptoms)

33C1 – Not alert (acute change)

33C2 – Abnormal breathing (acute onset)

33C3 – Significant hemorrhage or shock

33C4 – Possible acute heart problems or MI (heart attack)

33C5 – Acute severe pain

33C6 – Emergency response requested

33D1 – Suspected cardiac or respiratory arrest

CAD Fire Incident Codes

FAFA – Automatic Fire Alarm
FAFARD – Automatic Fire Alarm – reduced response
FAIRCR – Aircraft Fire
FBARN1 – Barn Fire – first alarm
FBARN2 – Barn Fire – second alarm
FBARN3 – Barn Fire – third alarm
FBARN4 – Barn Fire – fourth alarm
FCB – Controlled Burn
FCODET – Carbon Monoxide Detector
FHMNI – Hazardous Materials Incident – inside investigation
FHMNS – Hazardous Materials Incident – non-structure
FHMOUI – Hazardous Materials Incident – outside investigation
FHMSTR – Hazardous Materials Incident – structure fire
FINI – Inside Investigation
FLANDRES – Land Rescue
FLZ – Helicopter Landing Zone
FMASTN – Mass Transportation Incident
FMA- Fire Department Medical Assist
FMISC – Miscellaneous Incident
FOTRES – Miscellaneous Rescue
FOUI – Outside Investigation
FSTR1 – Structure Fire – first alarm
FSTR2 – Structure Fire – second alarm
FSTR3 – Structure Fire – third alarm
FSTR4 – Structure Fire – fourth alarm
FVEHSM – Motor Vehicle Fire – car or small truck
FVEHLG – Motor Vehicle Fire – large truck
FVSNI – Motor Vehicle Versus Structure – no injuries
FWARES – Water Rescue
FWF – Wild Fire
FWFVEH – Wild Fire Involving Vehicle
FWFSTR – Wild Fire Endangering Structure
FXFER1 – Transfer Assignment – first alarm
FXFER2 – Transfer Assignment – second alarm
FXFER3 – Transfer Assignment – third alarm
FXFER4 – Transfer Assignment – fourth alarm
MUTAID – Mutual Aid Response
XFER - Transfer